

RÜZGAR

Wind



TOZ

Dust



SES

Sound




Québec[®]
Windustop[®]

KAPI GİYOTİNİ – DIŞTAN AUTOMATIC SEALS BOTTOM OF DOOR ГИЛЬОТИННЫЕ ДВЕРИ

- Kapı altından gelen soğuk / sıcak hava geçişini engeller.
- Kapı altından gelen ses / ışık geçişini engeller.
- Mevcut kapılara sonradan Dıştan montaj edilebilir.
- Standart boyları 83 - 93 -103- 113- 123 cm olup , 10 cm montaj esnasında kısalabilir.
- Montaj videosunu youtube sayfamızdan izleyebilirsiniz.
- Kapı altındaki açıklığı , ayarı sayesinde 30 mm 'e kadar kapatabilirsiniz.
- Pratik montajı sayesinde uygulama kolaylığı sunar.
- 100 adet ve üzeri siparişlerde özel boy üretimi yapılır.





- Low closing force. End plates provided for all mounting applications.
- Provide excellent seals to keep out draft, dust, moisture, insects, fumes, light and sound
- Able to montage on your old doors (out montage)
- Product measurments 83 - 93 -103- 113- 123 cm , Up to 100 mm can be CUT
- You can watch the application videos in our web site . (www.albaturas.com)
- Slotted holes for adjustment 5 to 30 mm , You can cover max. 20 mm on the door.
- Easy montage
- You can give special measurment products for your doors (Minimum 100 pcs)







1 SET

ART.NO	BOY/SIZE
0220 01	530 MM
0220 02	830 MM
0220 03	930 MM
0220 04	1030 MM
0220 05	1130 MM
0220 06	1230 MM








PAKETLEME / PACKAGING



1 set/1Package

10 set/1box



Québec®
Windustop

